

Pro Form Products Ltd. 604 McGeachie Drive Milton, Ontario, L9T 3Y5 Canada 905-878-4990

PRODUCT: 25260 DOUBLE SIDED ACRYLIC FOAM TAPE

SECTION 01: Chemical product and company identification

Pro Form Products Ltd. Manufactured for.....

604 McGeachie Drive

Milton, Ontario L9T3Y5 Tel (905) 878-4990 Fax (905) 878-1189

Product name..... 25260 DOUBLE SIDED ACRYLIC FOAM TAPE

Recommended use and restrictions on use Automotive. Chemical family..... Article.

H:0 F:0 R:0 Hazard rating..... Health: 0 Fire: 0 Reactivity: 0. NFPA rating.....

IN CANADA CALL CANUTEC 1-888-226-8832 (CAN-UTEC); IN THE UNITED STATES 24 hour emergency number:.....

CALL CHEMTREC 1-800-424-9300. .

SECTION 02: Hazards identification

Signal Word..... Not a classified or a controlled product.

Hazard Classification..... Not classified. Not classified. Hazard Description.....

SECTION 03: Composition/Information on Ingredients

HAZARDOUS INGREDIENTS WT. % CAS#

PRODUCT IS AN ARTICLE AND NOT A CHEMICAL 100 Not applicable

SECTION 04: First aid measures

Eye contact..... In case of contact, immediately flush eyes, keeping eyelids open, with plenty of water for at

least 15 minutes.

Skin contact..... Wash slowly with lukewarm water.

Not applicable. Inhalation..... Ingestion..... Not applicable. Most important symptoms and effects, No hazard expected.

whether acute or delayed

Additional information..... Not applicable. In the event of an incident involving this product ensure that medical

authorities are provided a copy of this safety data sheet.

SECTION 05: Fire fighting measures

Suitable and unsuitable extinguishing mediaUse extinguishing media for surrounding fire.

Hazardous combustion products..... Oxides of carbon (CO, CO2).

Firefighter should be equipped with self-contained breathing apparatus and full protective Special fire fighting procedures.....

clothing to protect against potentially toxic and irritating fumes. Cool fire-exposed containers with cold water spray. Heat will cause pressure buildup and may cause

explosive rupture. Decomposition will occur above 300 C

SECTION 06: Accidental release measures

Pick up solids and put in a dust bin. Leak/spill.....

SECTION 07: Handling and storage

Handling procedures..... Employees should wash hands and face before eating or drinking. Keep away from heat,

sparks, and open flame.

Store in a cool and dry place, for product integrity. Keep container closed when not in use. Storage needs.....

(min/max:0/35 c).

SECTION 08: Exposure controls / personal protection

	ACGIH TLV		OSHA PEL			NIOSH
INGREDIENTS	TWA		PEL		REL	

PRODUCT: 25260 DOUBLE SIDED ACRYLIC FOAM TAPE

SECTION 08: Exposure controls / personal protection

OSHA PEL ACGIH TLV NIOSH INGREDIENTS TWA STEL **PEL** STEL **REL**

PRODUCT IS AN ARTICLE AND NOT A Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

CHEMICAL

Eye/type..... Not applicable. Not applicable. Respiratory/type..... Not applicable. Gloves/ type.....

Clothing/type..... Wear adequate protective clothes. Footwear/type..... Safety boots per local regulations.

Educate and train employees on the safe use and handling of the product. Employees Other/type..... should wash their hands and face before eating, drinking, or using tobacco products.

General ventilation. Appropriate engineering controls.....

SECTION 09: Physical and chemical properties

Physical state.....

Colour Various colours. (Prolonged storage may lead to discolouration.).

Odour..... Slight.

Not applicable. Odour threshold (ppm)..... Vapour pressure (mm Hg)..... Not applicable. Not applicable. Not applicable. Vapour density (air=1).....

Relative Density (Specific Gravity)..... No Data Melting / Freezing point (deg C)..... Not applicable. Solubility..... Insoluble. Initial boiling point / boiling range (deg C). Not applicable.

Not applicable. Evaporation rate..... Flash point (deg C), method..... Not applicable. Not applicable. Not applicable. No Data.

Coefficient of water\oil distribution..... No Data. VOC..... No data. No Data. Viscosity.....

SECTION 10: Stability and reactivity

Chemical stability..... Stable at normal temperatures and pressures.

Reactivity Avoid heat, sparks and flames.

Possibility of hazardous reactions..... Will not occur under normal temperature and pressure.

Conditions to avoid..... Keep away from heat.

Oxides of carbon (CO,CO2). Hazardous decomposition products.....

SECTION 11: Toxicological information

LD50 INGREDIENTS LC50

PRODUCT IS AN ARTICLE AND NOT A CHEMICAL Not applicable Not applicable

Not expected to pose any hazards. Route of exposure.....

Effects of acute exposure..... According to our experience, if the product is handled properly and the usual rules of occupational hygiene adhered to, risks are improbable. May cause mechanical irritation.

Effects of chronic exposure..... Not applicable. Carcinogenicity of material..... Not applicable. Reproductive effects..... Not applicable.

SECTION 12: Ecological information

Persistence and degradability..... Not available.

SECTION 13: Disposal considerations

Waste disposal..... Dispose of waste in accordance with all applicable Federal, Provincial/State and local regulations.



PRODUCT: 25260 DOUBLE SIDED ACRYLIC FOAM TAPE

SECTION 14: Transport information

Not regulated. Not regulated. IATA Classification (Air)....IMDG Classification (Marine).... Not regulated. Not regulated. Marine Pollutant.....

Proof of Classification..... In accordance with Part 2.2.1 of the Transportation of Dangerous Goods Regulations (July

2, 2014) - we certify that classification of this product is correct. .

SECTION 15: Regulatory information

This is an article and not subject to the DSL. CEPA status.....

TSCA inventory status

SARA Title III

Section 302 - extremely hazardous

substances Section 311/312 - hazard categories.......

Not evaluated.

Not evaluated.

Section 313..... California Proposition 65..... Not evaluated.

SECTION 16: Other information

REGULATORY AFFAIRS. Trivalent Data Systems Ltd. www.trivalent.com. (800) 387-7981. Prepared by:

Telephone number:.....

DISCLAIMER: All information appearing herein is based upon data obtained from experience and recognized technical sources. To the best of our knowledge, it is believed to be correct as of the date of issue but we make no representations as to its accuracy or Disclaimer:.... sufficiency and do not suggest or guarantee that any hazards listed herein are the only ones which exist. The hazard information contained herein is offered solely for the consideration of the user, subject to his own investigation and verification of compliance with applicable regulations, including the safe use of the product under every foreseeable

condition. The information relates only to the product designated herein, and does not

relate to its use in combination with any other material or in any other process.

Preparation date: APR 24/2018