

UP0712, UP0713, UP0714, UP0740 DOLPHIN BODYFILLER PASTE

Page 1 Issued: 01/12/2008 Revision No: 3

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: UP0712, UP0713, UP0714, UP0740 DOLPHIN BODYFILLER PASTE

Product code: VARIOUS

Use of substance / preparation: POLYESTER REPAIR PASTE CONTAINING STYRENE

Company name: U-POL US Inc.

630 Selvaggio Drive. Suite 300 Nazareth PA 18064 USA Tel: 1-800-340-7824 Fax: 1-800-787-5150 Emergency tel: 1-800-424-9300 (CHEMTREC)

Email: technical@u-pol.com

2. HAZARDS IDENTIFICATION

Main hazards: Harmful by inhalation. Irritating to eyes and skin.

Other hazards: Flammable. Harmful by inhalation. Irritating to eyes. Irritating to skin.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: STYRENE 10-30%

EINECS: 202-851-5 CAS: 100-42-5

[-] R10; [Xn] R20; [Xi] R36/38

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4. FIRST AID MEASURES (ACTION)

Skin contact: Wash immediately with plenty of soap and water.

UP0712, UP0713, UP0714, UP0740 DOLPHIN BODYFILLER PASTE

Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.	
Ingestion:	Do not induce vomiting. Wash out mouth with water. Consult a doctor.	
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so.	
5. FIRE-FIGHTING MEASURES		
Extinguishing media:	Carbon dioxide. Dry chemical powder. Alcohol or polymer foam.	
Exposure hazards:	Flammable. In combustion emits toxic fumes of carbon dioxide / carbon monoxide.	
Protection of fire-fighters:	Wear protective clothing to prevent contact with skin and eyes.	
6. ACCIDENTAL RELEASE MEASURES		
Personal precautions:	Refer to section 8 of SDS for personal protection details.	
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.	
Clean-up procedures:	Absorb into dry earth or sand.	
7. HANDLING AND STOR	AGE	
Handling requirements:	Ensure there is sufficient ventilation of the area.	
Storage conditions:	Store in cool, well ventilated area. Keep away from sources of ignition. Keep container tightly	
	closed.	
Suitable packaging:	Must only be kept in original packaging.	
8. EXPOSURE CONTROLS	5 / PERSONAL PROTECTION	
Workplace exposure limits		
WEL (8 hr TWA):	100 ppm	
WEL (15 min STEL):	250 ppm	
Respirable dust		
WEL (8 hr TWA):	1 mg/m3	
Hazardous ingredients:	STYRENE	
	WEL (8 hr TWA): 430 mg/m3 WEL (15 min STEL): 1080 mg/m3	
Engineering measures:	Ensure there is sufficient ventilation of the area.	
Respiratory protection:	Respiratory protective device with particle filter.	
Hand protection:	Nitrile gloves.	
Eye protection:	Safety glasses with side-shields.	
Skin protection:	Protective clothing.	
9. PHYSICAL AND CHEMICAL PROPERTIES		

Paste
Off-white
Aromatic
Slow
Insoluble

Page 2

UP0712, UP0713, UP0714, UP0740 DOLPHIN BODYFILLER PASTE

Also soluble in:	Most organic solvents.
Viscosity:	Highly viscous
Viscosity value:	500,000 CP
Flammability limits %: lower:	1.1
upper:	6.1
Flash point°C:	32
Autoflammability°C:	490
Relative density:	1.5
VOC g/l:	222 (1.86 lb/gal)

10. STABILITY AND REACTIVITY

Stability:	Stable under normal conditions.	
Conditions to avoid:	Conditions to avoid: Direct sunlight. Heat. Sources of ignition.	
Materials to avoid:	Oxidising agents.	
Haz. decomp. products:	In combustion emits toxic fumes of carbon dioxide / carbon monoxide.	

11. TOXICOLOGICAL INFORMATION

2. ECOLOGICAL INFORMATION	
Routes of exposure:	Refer to section 4 of SDS for routes of exposure and corresponding symptoms.
	ORL RAT LD50 2650 mg/kg
	ORL MUS LD50 316 mg/kg
	IVN MUS LD50 90 mg/kg
Hazardous ingredients:	STYRENE

12.

Mobility:	Insoluble in water. Heavier than water.
Persistence and degradability:	Not biodegradable.
Bioaccumulative potential:	No data available.
Other adverse effects:	Toxic to aquatic organisms.

13. DISPOSAL CONSIDERATIONS

Disposal operations: D1 Tipping above or underground (e.g. landfill, etc.). Disposal of packaging: Dispose of in a regulated landfill site or other method for hazardous or toxic wastes. NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

14. TRANSPORT INFORMATION

ADR / RID

UN no: 3269

Packing group: III

Shipping name: POLYESTER RESIN KIT

ADR Class: 3

Classification code: F1

UP0712, UP0713, UP0714, UP0740 DOLPHIN BODYFILLER PASTE

Labelling:	3 FLAMMABLE LIQUID
IMDG / IMO	
UN no:	3269 Class: 3
Packing group:	III EmS: F-E,S-D
Marine pollutant:	· ·
Labelling:	3
IATA / ICAO	
UN no:	3269 Class: 3
Packing group:	Ш
Packing instructions:	312
Labelling:	3
15. REGULATORY INFOR	MATION
Hazard symbols:	Harmful.
Risk phrases:	R20: Harmful by inhalation.
	R36/38: Irritating to eyes and skin.
Safety phrases:	S2: Keep out of the reach of children.
	S3: Keep in a cool place.
	S46: If swallowed, seek medical advice immediately and show this container or label.
	S51: Use only in well-ventilated areas.
	STYRENE
Note:	The regulatory information given above only indicates the principal regulations specifically

applicable to the product described in the safety data sheet. The user's attention is drawn to

the possible existence of additional provisions which complete these regulations. Refer to all

applicable national, international and local regulations or provisions.

US VOC CONVERSION FACTOR 250 g/l = 2.1 lb/gal

16. OTHER INFORMATION

Other information: This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

FOR PROFESSIONAL USE ONLY. Read full instructions before use.

IMPORTANT: This product contains hazardous materials and therefore appropriate personal

UP0712, UP0713, UP0714, UP0740 DOLPHIN BODYFILLER PASTE

	protective equipment should always be used.
	Please refer to the label and consult the material safety data sheet for full handling instructions
	and personal protection information. These are available via your local stockist or via the
	U-POL website at WWW.U-POL.COM.
	U-POL disclaim any liability where the user does not wear the recommended personal protective
	equipment.
Risk phrases used in s.3:	R10: Flammable.
	R20: Harmful by inhalation.
	R36/38: Irritating to eyes and skin.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive and shall
	be used only as a guide. Addition of reducers, hardeners and other additives over and above
	U-POL's recommendations for use, may substantially alter the composition and hazards of the
	product. Since conditions of use are outside our control, this company shall not be held liable
	for any damage resulting from handling or from contact with the above product.

Page 5