Product Name: Light Weight Product identifier: 100157 Revision Date: 12-14-2015

Replaces:



### 1. Identification

Product Name: Light Weight Product identifier: 100157

Relevant identified uses of the substance or mixture and uses

advised against:

Automotive repair

Other means of identification

Chemical Manufacturer / ITW Evercoat

**Importer / Distributor:** a division of Illinois Tool Works Inc.

6600 Cornell Road Cincinnati, OH 45242

513-489-7600

**Emergency telephone number:** CHEMTREC: 1-800-424-9300

CANUTEC: 1-613-996-6666

## 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:





**GHS Classification:** Reproductive Toxicity Category 1B

Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 1 Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category 1

Skin Corrosion/Irritation Category 2

Serious Eye Damage/Eye Irritation Category 2A

Germ Cell Mutagenicity Category 2

Carcinogenicity Category 2

Hazardous to the aquatic environment - Acute Category 2

Flammable Liquid Category 3

Acute Toxicity - Inhalation Dust / Mist Category 4

GHS Signal Word: Danger

**GHS Hazard Statements:** Flammable liquid and vapour.

Causes skin irritation.

Causes serious eye irritation.

Harmful if inhaled.

Product Name: Light Weight Product identifier: 100157 Revision Date: 12-14-2015

Replaces:

Storage:

Suspected of causing genetic defects.

Suspected of causing cancer.

May damage fertility or the unborn child.

Causes damage to organs.

Causes damage to organs through prolonged or repeated exposure.

Toxic to aquatic life.

GHS Precautionary Statements: Safety Precautions:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

**First Aid Measures:** IF ON SKIN: Wash with plenty of soap and water.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable

for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

IF exposed: Call a POISON CENTER or doctor/physician.
IF exposed or concerned: Get medical advice/attention.
Call a POISON CENTER or doctor/physician if you feel unwell.

Get medical advice/attention if you feel unwell.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash before reuse.

In case of fire: Use for extinction. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

**Disposal:** Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

Product Name: Light Weight Product identifier: 100157 Revision Date: 12-14-2015

Replaces:

Hazards not otherwise

classified:

No data available

## 3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient	
Styrene	100-42-5	10 - 30	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First-aid measures

**Eye Contact:** Flush eyes with plenty of water for at least 20 minutes retracting

eyelids often. Tilt the head to prevent chemical from transferring to

the uncontaminated eye. Get immediate medical attention.

**Skin Contact:** Wash with soap and water. Get medical attention if irritation

develops or persists.

**Inhalation:** Remove to fresh air. If breathing is difficult, have a trained

individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get

medical attention immediately

**Ingestion:** Do not induce vomiting and seek medical attention immediately.

Drink two glasses of water or milk to dilute. Provide medical care

provider with this MSDS.

Immediate medical attention and special treatment needed,:

No additional first aid information available

### 5. Fire-fighting measures

**Suitable extinguishing media:** Use alcohol resistant foam, carbon dioxide, or dry chemical

extinguishing agents. Water may be ineffective but water spray can be used extinguish a fire if swept across the base of the flames. Water can absorb heat and keep exposed material from being damaged by fire. Carbon dioxide Alcohol foam Dry chemical

**Unsuitable extinguishing media:** No data available

**Fire and/or Explosion Hazards:** Vapors may be ignited by sparks, flames or other sources of ignition

if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition

and flash back.

**Hazardous Combustion** 

**Products:** 

Carbon dioxide, Carbon monoxide

**Special protective equipment** Do not enter fire area without proper protection including self-

Page **3** of **7** 

Product Name: Light Weight Product identifier: 100157 Revision Date: 12-14-2015

Replaces:

and precautions for fire-

fighters:

contained breathing apparatus and full protective equipment. Fight

fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products.

Flammable component(s) of this material may be lighter than water

and burn while floating on the surface.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Methods and material for containment and cleaning up: No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment

recommendations found in Section VIII of this MSDS

No special spill clean-up considerations. Collect and discard in

regular trash.

## 7. Handling and storage

**Precautions for safe handling:** Mildly irritating material. Avoid unnecessary exposure. Use spark-

proof tools and explosion-proof equipment

**Conditions for safe storage:** Store in a cool dry ventilated location. Isolate from incompatible

materials and conditions. Keep container(s) closed. Keep away

from sources of ignition

Materials to Avoid/Chemical

Incompatibility::

Strong oxidizing agents Peroxides Strong acids

### 8. Exposure controls/personal protection

#### Limits:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
Styrene	100 ppm	20 ppm	40 ppm STEL; 170 mg/m3 STEL

Appropriate engineering

controls.:

No exposure limits exist for the constituents of this product. Use

local exhaust ventilation or other engineering controls to minimize

exposures and maintain operator comfort.

**Eye Protection:** Wear chemically resistant safety glasses with side shields when

handling this product. Do not wear contact lenses.

**Skin Protection:** Not normally considered a skin hazard. Where use can result in skin

contact, practice good personal hygiene and wear a barrier cream and/or impervious surgical style gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking,

and when leaving work.

**Respiratory Protection:** Respiratory protection may be required to avoid overexposure

when handling this product. General or local exhaust ventilation is

Product Name: Light Weight Product identifier: 100157 Revision Date: 12-14-2015

Replaces:

the preferred means of protection. Use a respirator if general room

ventilation is not available or sufficient to eliminate symptoms.

**General Hygiene Conditions:** Use spark-proof tools and explosion-proof equipment

## 9. Physical and chemical properties

Appearance (physical state): Liquid Color: Grey

Odor: StrongAromatic
Odor threshold: No data available

pH:

Melting Point/Freezing Point (°C):

No data available

Initial Boiling Point and Boiling Range (°C): 145 Flash Point (°C): 31

**Evaporation Rate:**No data available
Flammability (solid, gas):
No data available

Upper Flammable/Explosive Limit: 6
Lower Flammable/Explosive Limit: 1

Vapor Pressure:5 MMHG@20C/68FVapor Density:No data available

Relative Density:

Solubility(ies):

Partition coefficient: n-octanol/water:

Auto-ignition Temperature (°C):

1.23

Insoluble

unknown

490 °C

**Decomposition Temperature::**No data available

Viscosity: 495000

### 10. Stability and reactivity

**Reactivity:** No data available

**Chemical stability:** Stable under normal conditions.

Conditions to avoid: None known. .

**Incompatible materials:** Strong oxidizing agents Peroxides Strong acids

## 11. Toxicological information

Likely routes of exposure (inhalation, ingestion, skin and

Eye contact, Skin contact, Inhalation

eye contact):

#### Immediate (Acute) Health Effects by Route of Exposure:

**Inhalation Irritation:** Can cause moderate respiratory irritation, dizziness, weakness, fatigue, nausea and

headache.

**Skin Contact:** Can cause minor skin irritation, defatting, and dermatitis.

Product Name: Light Weight Product identifier: 100157 Revision Date: 12-14-2015

Replaces:

**Eye Contact:** Can cause moderate irritation, tearing and reddening, but not likely to permanently

injure eye tissue.

**Ingestion Irritation:** Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea,

vomiting and diarrhea.

**Ingestion Toxicity:** Harmful if swallowed. May cause systemic poisoning.

Long-Term (Chronic) Health Effects:

**Carcinogenicity:** Suspected of causing cancer.

**Reproductive and** May damage fertility or the unborn child.

**Developmental Toxicity:** 

**Mutagenicity:** Suspected of causing genetic defects.

**Inhalation:** Upon prolonged and/or repeated exposure, can cause moderate respiratory

irritation, dizziness, weakness, fatique, nausea and headache.

**Skin Contact:** Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and

dermatitis.

### **Component Toxicology Data**

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50	
No data available				

#### Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen	
Styrene	N	Υ	Υ	

### 12. Ecological information

Ecotoxicity (aquatic and

Toxic to aquatic life.

terrestrial, where available):

Persistence and degradability: No data available Mobility in soil: No data available Other adverse effects (such as No data available

hazardous to the ozone layer):

#### Données sur l'écotoxicité

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

## 13. Disposal considerations

Description of waste residues:

Spent or discarded material is a hazardous waste.

Waste treatment methods (including packaging):

Dispose of by incineration following Federal, State, Local, or

Provincial regulations.

Product Name: Light Weight Product identifier: 100157 Revision Date: 12-14-2015

Replaces:

Waste Disposal Code(s): D001

## 14. Transport information

UN number:
UN proper shipping name:
Not Regulated
Transport hazard class(es):
No data available
Packing group:
No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

## 15. Regulatory information

**Statut TSCA:** All components in this product are on the TSCA Inventory.

**Regulated Components:** 

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
Styrene	100-42-5	N	N	Υ	N

## 16. Other information, including date of preparation or last revision.

**Revision Date:** 12-14-2015

Revision Number: 8

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances