



## 1 Identification of substance

· **Product details**

· **Trade name:** 16015-16728 Sure Coat

· **Article number:**

16015, 16018, 16085, 16088, 16505, 16508, 16515, 16518, 16525, 16528, 16535, 16538, 16545, 16548, 16565, 16568, 16578, 16585, 16588, 16595, 16598, 16705, 16708, 16715, 16718, 16725, 16728

· **Manufacturer/Supplier:**

SEM Products Inc.  
651 Michael Wylie Dr.  
Charlotte, NC 28217  
(704)522-1006

· **Information department:**

labsupport@sem.ws : SEM Products 651 Michael Wylie Dr. Charlotte, NC 28217 : phone 1-704-522-1006, M - TH 7am - 4pm EDT

· **Emergency information:** 24 HR EMERGENCY CHEMTREC 1-800-424-9300

## 2 Composition/Data on components

· **Chemical characterization**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

872-50-4	<i>N</i> -methyl-2-pyrrolidone Warning:  3.2/2, 3.3/2A; 2.6/4	5 - 7%
107-98-2	1-methoxy-2-propanol Warning:  2.6/3	5 - 7%
18268-70-7	Tetraethylene Glycol Di 2-ethylhexoate Danger:  3.1.O/3, 3.2/2, 3.3/2A, 3.8/3	1.5 - 5%

## 3 Hazards identification

· **Hazard description:**



Irritant

· **Information pertaining to particular dangers for man and environment:**

The product has to be labelled due to the calculation procedure of international guidelines.

Irritating to eyes, respiratory system and skin.

· **Classification system:**

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

· **NFPA ratings (scale 0 - 4)**



Health = 2

Fire = 1

Reactivity = 0

(Contd. on page 2)

Trade name: 16015-16728 Sure Coat

(Contd. of page 1)

· **HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = 2
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

· **GHS label elements**



- 3.2/2 - Causes skin irritation.
- 3.3/2A - Causes serious eye irritation.
- 3.8/3 - May cause respiratory irritation.

**Warning**

2.6/4 - Combustible liquid.

· **Prevention:**

- Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- Avoid breathing dust/fume/gas/mist/vapours/spray.
- Wash thoroughly after handling.
- Use only outdoors or in a well-ventilated area.
- Wear protective gloves/protective clothing/eye protection/face protection.

· **Response:**

- IF ON SKIN: Wash with plenty of soap and water.
- IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Call a POISON CENTER or doctor/physician if you feel unwell.
- Specific treatment (see label).
- If skin irritation occurs: Get medical advice/attention.
- If eye irritation persists: Get medical advice/attention.
- Take off contaminated clothing and wash before reuse.
- In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.

· **Storage:**

- Store in a well-ventilated place. Keep container tightly closed.
- Store in a well-ventilated place. Keep cool.
- Store locked up.

· **Disposal:**

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 4 First aid measures

- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.

#### 5 Fire fighting measures

- **Suitable extinguishing agents:** FOAM, CO<sub>2</sub>, DRY CHEMICAL

(Contd. on page 3)



**Trade name: 16015-16728 Sure Coat**

(Contd. of page 2)

· **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Person-related safety precautions:** Not required.
- **Measures for environmental protection:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.

### 7 Handling and storage

- **Handling:**
- **Information for safe handling:**
- **Information about protection against explosions and fires:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.

### 8 Exposure controls and personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Components with limit values that require monitoring at the workplace:**

**872-50-4 N-methyl-2-pyrrolidone**

WEEL	10 ppm
	Skin

**107-98-2 1-methoxy-2-propanol**

REL	Short-term value: 540 mg/m <sup>3</sup> , 150 ppm Long-term value: 360 mg/m <sup>3</sup> , 100 ppm
TLV	Short-term value: 553 mg/m <sup>3</sup> , 150 ppm Long-term value: 369 mg/m <sup>3</sup> , 100 ppm

· **Additional information:** The lists that were valid during the creation were used as basis.

- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Breathing equipment:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 4)



**Trade name: 16015-16728 Sure Coat**

(Contd. of page 3)

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

· **General Information**

<b>Form:</b>	Liquid
<b>Color:</b>	According to product specification
<b>Odor:</b>	Characteristic

· **Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	120°C (248°F)

· **Flash point:** 62°C (144°F)

· **Ignition temperature:** 270°C (518°F)

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.  
In use, may form flammable/explosive vapour-air mixture.

· **Vapor pressure at 20°C (68°F):** 23 hPa (17 mm Hg)

· **Density at 20°C (68°F):** 1.06 g/cm<sup>3</sup>

· **Solubility in / Miscibility with**

**Water:** Fully miscible.

· **Solvent content:**

<b>Organic solvents:</b>	12.7 %
<b>Water:</b>	39.3 %

(Contd. on page 5)



Trade name: 16015-16728 Sure Coat

(Contd. of page 4)

**VOC content:** 12.7 %  
148.0 g/l / 1.24 lb/gal

· **Solids content:** 31.7 %

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Dangerous reactions** No dangerous reactions known.
- **Dangerous products of decomposition:** No dangerous decomposition products known.

### 11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
  - **on the skin:**  
Irritant to skin and mucous membranes.  
moderate skin irritant
  - **on the eye:**  
Irritating effect.  
moderate eye irritant
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

### 12 Ecological information

- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### 13 Disposal considerations

- **Product:**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

- **DOT regulations:**
- **Hazard class:** -

(Contd. on page 6)



**Trade name: 16015-16728 Sure Coat**

(Contd. of page 5)

· **Land transport TDG (Canada) and ADR/RID (Europe):**  
· **Hazard class:** -

· **Maritime transport IMDG:**  
· **IMDG Class:** -  
· **Marine pollutant:** No

· **Air transport ICAO-TI and IATA-DGR:**  
· **ICAO/IATA Class:** -

· **UN "Model Regulation":** -

### 15 Regulations

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

· **Section 313 (Specific toxic chemical listings):**

872-50-4 | *N-methyl-2-pyrrolidone*

107-21-1 | *ethanediol*

· **TSCA (Toxic Substances Control Act):**

7732-18-5 | *water, distilled, conductivity or of similar purity*

872-50-4 | *N-methyl-2-pyrrolidone*

107-98-2 | *1-methoxy-2-propanol*

18268-70-7 | *Tetraethylene Glycol Di 2-ethylhexoate*

9036-19-5 | *Polyethylene glycol octylphenyl ether*

51200-87-4 | *4,4-dimethyl-1,3-oxizalidine*

57-55-6 | *propane-1,2-diol*

107-21-1 | *ethanediol*

126-86-3 | *2,4,7,9-tetramethyldec-5-yne-4,7-diol*

143-22-6 | *2-[2-(2-butoxyethoxy)ethoxy]ethanol*

124-68-5 | *2-amino-2-methylpropanol*

· **Proposition 65**

· **Chemicals known to cause cancer:**

107-21-1 | *ethanediol*

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

872-50-4 | *N-methyl-2-pyrrolidone*

· **Carcinogeny categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

(Contd. on page 7)



**Trade name: 16015-16728 Sure Coat**

(Contd. of page 6)

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

107-21-1 ethanediol

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **Product related hazard informations:**

The product has been classified and marked in accordance with directives on hazardous materials.

· **Hazard symbols:**

Irritant

· **Risk phrases:**

Irritating to eyes, respiratory system and skin.

· **Safety phrases:**

Wear suitable protective clothing, gloves and eye/face protection.

In case of insufficient ventilation, wear suitable respiratory equipment.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing MSDS:** Environment protection department.

· **Contact:** Steve Gaver

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement internationale concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)