



Quality coatings for auto, fleet & industrial



The Montana® Big Sky® Automotive, Fleet and Industrial refinish line offers an extensive selection of coatings that feature the performance and competitive value desired by today's professional refinishers. This line offers protection, durability, sandability, color holdout, and a smooth start for a superior finish. Our standard of utmost quality is designed into each formula, as well as, the manufacturing process of each product. Based on the many years of repeat business with satisfied customers, the Montana® brand has a history of uncompromising quality and proven product performance.




PRIMERS / SEALERS / SURFACERS

EZ543™ (GRAY) / EZ545™ (BLACK) EZ-FILL™ ACRYLIC PRIMER SURFACER: EZ-FILL™ Acrylic Primer Surfacer is formulated from a newly developed and advanced resin technology that provides superior adhesion to metal and a variety of substrates while offering good fill properties. Both primer surfacers offer faster dry times with easier sanding while maintaining better color holdout and superior performance characteristics compared to most acrylic primer surfacers in their class. (Mix 1:1:1-¼)


EZ601A™ (GRAY) / EZ603A™ (BLACK) EZ-BUILD™ 2K HIGH BUILD URETHANE PRIMER: EZ-Build™ Urethane Primer is a quality two-component urethane primer/surfacer designed to provide quick build for filling repair areas. These 2K primer/surfacers offer fast dry times with easier sanding, while maintaining very good color hold out and gloss retention. (Mix 4:1:1)

PS3051™ (WHITE) / PS3053™ (GRAY) / PS3055™ (BLACK) PERFORMA-SEAL™ 2K URETHANE SEALER: Performa-Seal™ is a non-sanding acrylic urethane sealer that applies smoothly and maintains superior color and gloss retention for high quality finishes. Performa-Seal™ allows for increased inter-coat adhesion while providing a uniform ground coat over repairs. All 3 shades of sealer may be intermixed to provide the painter with a variety of gray shades. (Mix 4:1:1)

PS3201™ (WHITE) / PS3203™ (GRAY) / PS3205™ (BLACK) DTM PRIMER/SURFACER: This National Rule non-isocyanate, chromate-free, direct-to-metal primer/surfacer provides optimum adhesion with excellent corrosion protection on bare metal and OEM substrates. DTM is designed for use as a medium or high build primer-surfacer that can be easily sanded by hand or machine. (Mix 4:1:1)

PS3401™ (WHITE) / PS3403™ (GRAY) / PS3405™ (BLACK) LOW VOC DTM PRIMER/SURFACER: This 2.1 VOC non-isocyanate, chromate-free, direct-to-metal primer/surfacer provides optimum adhesion with excellent corrosion protection on bare metal and OEM substrates. DTM is designed for use as a medium or high build primer-surfacer that can be easily sanded by hand or machine. (Mix 4:1:1) 

PS5008A™ (BEIGE) / PS5009A™ (GRAY) 2K URETHANE PRIMER: These versatile two component urethane primers offer high film build, quick and easy sanding, and excellent color holdout. When applied properly, these primers do not shrink. PS5008A™ / PS5009A™ are tintable and can be used as a primer surfacer and a sealer. (Mix 4:1:15%)

PS5011™ (WHITE) / PS5012A™ (GRAY) / PS5015™ (BLACK) 2.1 VOC 2K URETHANE PRIMER: Our 2.1 VOC two component urethane primers meet the strictest VOC regulations. These primers are designed to provide high film build, ease of sanding, and excellent color holdout. Adjust the mix ratio and this chromate-free product can be used as a primer surfacer and a sealer. These primers may be blended to achieve various shades of gray. (Mix 4:1 Primer Option Mix 4:1:1 Sealer Option) 


TOPCOATS

- SYSTEM 10™ ACRYLIC ENAMEL SINGLE STAGE
- SYSTEM 12™ SKY FLEET™ ACRYLIC ENAMEL SINGLE STAGE
- SYSTEM 18™ 3.5 VOC ACRYLIC ENAMEL SINGLE STAGE
- SYSTEM 20™ SYNTHETIC ENAMEL SINGLE STAGE
- SYSTEM 22™ ACRYLIC URETHANE SINGLE STAGE
- SYSTEM 28™ 2.8 VOC H.S. POLYURETHANE SINGLE STAGE 
- SYSTEM 35™ 3.5 VOC H.S. POLYURETHANE SINGLE STAGE
- SYSTEM 50™ BASECOAT SYSTEM



CORROSION PROTECTION

PS3008™ (GREEN) VIPER GRIP II™ METAL ETCH PRIMER: Viper Grip II™ Metal Etch Primer is a non-induction, chromate-free, metal pre-treatment which provides a fast drying barrier coat that etches bare metal substrates, preparing them for additional topcoats. It maximizes the adhesion properties to properly prepared steel, aluminum, and galvanized metal. PS3008™ offers very good corrosion protection with moderate filling properties. (Mix 1:1)


PS3009™ (GREEN) VIPER GRIP II™ LOW VOC METAL ETCH PRIMER: PS3009™ is a low VOC non-induction, chromate-free, metal etch pretreatment. This primer provides a fast-drying barrier coat that etches bare metal substrates preparing them for additional topcoats. It maximizes the adhesion properties to properly prepared steel, aluminum, and galvanized metal. Viper Grip II™ offers very good corrosion protection and filling properties, all while meeting the most stringent AQMD rules such as Regulation 8 Rule 45 for California and Canada. (Mix 1:1) 

PS3042™ (LT. GRAY) / PS3044™ (DK. GRAY) / PS3045™ (BLACK) EPOXY PRIME™ PRIMER/SEALER: Epoxy Prime™ is a two-component, chromate-free epoxy primer that provides optimum adhesion with excellent corrosion protection. This epoxy primer is designed for use as a medium fill primer or may also be used as a sealer prior to topcoating. Epoxy Prime™ can be applied to most substrates to ensure corrosion resistance, chemical resistance, and color holdout. (Multiple Mix Ratios)

PS5620™ (GRAY) 1K METAL ETCH PRIMER: PS5620™ 1K Metal Etch Primer is a pre-treatment metal etch that provides a fast drying barrier coat to maximize adhesion properties to properly prepared steel, aluminum, and galvanized metal. (Mix 2:1)


SA5620™ (GRAY) 1K AEROSOL METAL ETCH PRIMER: SA5620™ Aerosol 1K Metal Etch Primer is a pre-treatment metal etch primer that provides a fast drying barrier coat to maximize the adhesion properties to properly prepared steel, aluminum, and galvanized metal. Best if used to prime small areas or sand throughs prior to topcoating. (Ready-to-Spray) 

WATERBORNE PLASTIC PRIMER

PS3305™ (BLACK) HYDRO-PRIME™ WATERBORNE PLASTIC PRIMER: Hydro-Prime™ Waterborne Plastic Primer is a uniquely developed, high build primer surfacer, designed for use by bumper recycling and refinishing professionals. PS3305™ is quick drying and easy to sand. Improved resin technology provides excellent gloss holdout for basecoat/clearcoat and single stage topcoat systems. (Ready-to-Spray) 




CLEARCOATS

CRV21™ CRYSTAL CLEAR™ 2.1 VOC ACRYLIC URETHANE UNIVERSAL CLEARCOAT: CRV21™ universal clearcoat provides excellent flow, leveling, rich gloss, and good durability and chemical resistance. This clear offers excellent UV protection, has great next day buffability and meets the strictest VOC Regulations. (Mix 4:1) 

CRV22™ CRYSTAL CLEAR™ ACRYLIC URETHANE UNIVERSAL CLEARCOAT: This 4.2 VOC universal clearcoat provides excellent flow, leveling, rich gloss, good durability, and chemical resistance. CRV22™ acrylic urethane clear offers excellent UV protection and has great next day buffability. (Mix 4:1)


EZ317™ EZ CLEAR™ ECONOMY URETHANE CLEARCOAT: EZ317™ universal urethane clearcoat is designed to produce a high-gloss durable finish with excellent UV protection. This clear can be used over basecoats (except lacquers), catalyzed acrylic enamels and urethane enamels. EZ317™ clear offers you a quality, economical solution to go head-to-head with the unproven, cheap, competitive, and imported clears. (Mix 4:1)

PE1500™ SPEED CLEAR ACRYLIC URETHANE CLEARCOAT: PE1500™ clearcoat was designed for panel and multi-panel application over properly applied basecoat color. This two-component clear has the quickest dust free times and delivers outstanding gloss with low overspray. PE1500™ clear increases productivity by maximizing vehicle throughput and may be polished as soon as 45 minutes. Although this is a 2.1 VOC product, the quick polish times makes this a popular clearcoat for National Rule areas. (Mix 4:1) 

PE1700™ 4.2 VOC H.S. ACRYLIC URETHANE GLAMOUR CLEARCOAT: PE1700™ glamour clear was designed specifically for the premium shop and experienced coatings applicator. This European style, award-winning clearcoat is high solids and is perfect for that showpiece that requires finesse and detail. (Multiple Mix Ratios)

PE1900™ LIGHTSPEED™ LOW OVERSPRAY PRODUCTION CLEARCOAT: LightSpeed™ Clearcoat was designed for spot and panel application over a properly applied basecoat. This 2 component clear has fast dust free times and delivers good gloss with low overspray. PE1900™ LightSpeed™ Clear increases productivity (by maximizing vehicle throughput) and has excellent gloss and low overspray. Can be polished in 90 minutes. (Mix 4:1)



PE21™ 2.1 VOC HIGH SOLIDS ACRYLIC URETHANE CLEARCOAT: PE21™ is a 2.1 VOC high solids acrylic urethane clear specifically designed for use with basecoat color. It provides a durable, high gloss finish with excellent chemical resistance and flexibility in only two coats. Ideal for overall jobs. (Mix 2:1:1) 

PE35™ POLYGLOSS™ 3.5 VOC HIGH SOLIDS POLYURETHANE CLEARCOAT: PE35™ clear is a 3.5 VOC high solids polyurethane coating that provides a tough, durable, high gloss finish with two coats. PE35™ clear is ideal for overall jobs and has excellent chemical resistance and UV protection. Note: This clear integrates with our System 35™ High Solids Polyurethane Color as well. (Mix 3:1:15%)

PE2100™ EUROSPEED™ 4.3 VOC EUROPEAN TECHNOLOGY CLEARCOAT: PE2100™ EuroSpeed™ Acrylic Urethane Clear provides a deep rich gloss with premium durability. Using the latest European technology, PE2100™ offers the versatility needed for spot, panel, and multi-panel repairs while providing quick delivery and ease of use. (Mix 2:1)

PE2442™ INTENSE™ UNIVERSAL BAKING CLEARCOAT: PE2442™ Intense™ is a 4.2 VOC fast curing, high solids universal acrylic urethane clearcoat. It is designed for maximum speed, fast build (2 coat maximum), and extreme productivity. PE2442™ can be used as a baking (150°F for 15 - 20 minutes - no purge) or air-dry (5 hours at 75°F) clear, and dries to an intense, high gloss with excellent UV protection and weathering. (Mix 4:1:1)




SPECIALTY PRODUCTS

- MP1001™ PREMIUM WET-LOOK CATALYST
- MP1050™ WET-LOOK CATALYST
- MP1393™ POLYURETHANE ACTIVATOR
- MP1395™ LOW VOC SPECIALTY ACRYLIC ENAMEL CATALYST
- MPV1300™ POLYURETHANE ACTIVATOR
- MP2000™ SYNTHETIC ENAMEL CATALYST
- CR22ACC™ SUPER ACCELERATOR
- CR22FEE™ FISHEYE ELIMINATOR
- PE35ACC™ ACCELERATOR
- SA220™ AEROSOL RUBBERIZED UNDERCOAT
- SA680™ AEROSOL BUMPER/TRIM COATING
- TH01000™ EDGE BLENDER
- FE40™ CHASSIS BLACK FRAME PAINT
- SFA1250™ SKY FLEET™ SYSTEM 12™ ACTIVATOR
- AP100™ FLEXIBLE PARTS CLEANER
- AP200™ PLASTIC ADHESION PROMOTER
- MP1222™ BONDCOAT™ ADHESION PROMOTER
- BDRD01™ BASECOAT BALANCER
- BDRD02™ BASECOAT BINDER
- SA550™ SEAM/JOINT SEALER, WHITE
- SA560™ SEAM/JOINT SEALER, BLACK
- AP300™ BLUE SHIELD™ LIQUID SPRAY MASK 
- TH5950™ WAX & GREASE REMOVER, STRONG
- TH5951™ WAX & GREASE REMOVER, MILD
- TH5952™ FAST EVAPORATING FINAL CLEANER
- TH5953™ ZERO VOC SURFACE CLEANER 



SOLVENTS

- MP1160™, MP1170™, MP1185™ BASECOAT REACTIVE REDUCER
- THU40™, THU050™, THU60™ URETHANE BASECOAT REDUCER
- TH0600™, TH0605™, TH0610™ URETHANE BASECOAT STABILIZER
- TH07160™, TH07175™, TH07185™, TH07195™ SKYBASE® BASECOAT REDUCER
- CR22RF™, CR22RM™, CR22RS™ ACRYLIC URETHANE REDUCER
- TH0860™, TH0870™, TH0885™, TH0895™ URETHANE GRADE REDUCER
- TH035™, TH036™, TH037™ ZERO VOC URETHANE REDUCER 
- TH4700™, TH4800™, TH4900™ ACRYLIC ENAMEL REDUCER
- TH5700™, TH5800™, TH5900™ SYNTHETIC ENAMEL REDUCER

our mission

ChemSpec's mission is to be the most dynamic and innovative coatings manufacturer in the world. We aim to achieve this by insisting on excellence and manufacturing products that are way above what is considered merely "acceptable" by industry standards. Our goal is to offer our customers true value and peace of mind.

Recent legislation has seen limitations being placed on the emissions of volatile organic compounds (VOC) into the atmosphere. Assuming our environmental responsibility, we have developed breakthrough new products that not only comply fully with the new legislation, but also offer significant performance improvements.

By making innovation our passion, we aim to become the irresistible choice – the brand that challenges the market leaders head on, and wins. The brand that leads the industry with a holistic package of superior products, expert advice, incomparable service and relevant knowledge. The brand that, when all things considered, offers the best value possible.

Quality Through Commitment®

Our pledge of guaranteed quality performance for Big Sky® Product Systems, when used as directed, is solidly backed by our **Quality Through Commitment™ Limited Lifetime Warranty.**



easimix 
professional



www.chemspecpaint.com

800-328-4892

INTERNATIONAL

Chemical Specialties Limited
2029 Old Mill Road, Cavellands,
Verulam, KZN, RSA
27 32 541 8600

USA

ChemSpec USA, Inc.
9287 Snecker Road
Orville, Ohio 44667
1 - 800 - 328 - 4892

AUSTRALIA

ChemSpec Coatings (Pty) Ltd
52-54 Chard Rd,
Brookvale, NSW
61 2 9907 1425

NEW ZEALAND

Industrial Paint Solutions Ltd
63-65 Greenmount Drive
East Tamaki, Auckland
New Zealand
64 9 2744810



GLOBAL PAINT COMPANY