Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date08-02-2016

Revision Number 8



SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier 100865

SMC Resin

1.2 Relevant identified uses of the substance or mixture and uses

advised against

Automotive repair

1.3 Details of the supplier of the

safety data sheet

ITW Evercoat

a division of Illinois Tool Works Inc.

6600 Cornell Road Cincinnati, OH 45242

513-489-7600

1.4 Emergency telephone number

CHEM TEL: +1-813-248-0591

SECTION 2 Hazards identification

2.1 Classification of the substance or mixture

Classified in

accordance to (EC) No. 1272/2008

Skin Sensitisation Category 1

Skin Corrosion/Irritation Category 2

Serious Eye Damage/Eye Irritation Category 2

Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure

Category 2

Flammable Liquid Category 3

Acute Toxicity - Inhalation Dust / Mist Category 4

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms





Signal Word Warning

Hazard Statements H226 - Flammable liquid and vapour.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date08-02-2016

Revision Number 8

H332 - Harmful if inhaled.

H373 - May cause damage to organs through prolonged or repeated

exposure.

Precautionary Statements P233 - Keep container tightly closed.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face

protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P403+P235 - Store in a well-ventilated place. Keep cool.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

Supplemental Hazard information (EU)

EUH208 - Contains Methyl methacrylate. May produce an allergic reaction.

2.3 Other hazards No data available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical Name	%	CAS#	(EC) No 1272/2008	M Factor	SCL
Styrene	35.2	100-42-5	Acute Tox. 4; H332	No data	No data
			Acute Tox. 4; H332	available	available
			Acute Tox. 4; H332		
			Eye Irrit. 2; H319		
			Flam. Liq. 3; H226		
			Skin Irrit. 2; H315		
Methyl methacrylate	8.91	80-62-6	Flam. Liq. 2; H225	No data	No data
			Skin Irrit. 2; H315	available	available
			Skin Sens. 1; H317		
			STOT SE 3; H335, H336		
			EUH208		
Amorphous Silica	1.19	112945-52-5	STOT RE 1; H372	No data	No data
			STOT SE 3; H335, H336	available	available
Dimethylaniline (DMA)	0.51	121-69-7	Aquatic Chronic 2; H411	No data	No data
			Acute Tox. 3; H311	available	available
			Acute Tox. 3; H331		
			Acute Tox. 3; H331		
			Acute Tox. 3; H301		
			Acute Tox. 3; H331		
			Carc. 2; H351		

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date08-02-2016

Revision Number 8

For full text of H-statements; See Section 16

SECTION 4 First aid measures

4.1 Description of first aid measures

Inhalation Remove to fresh air. If breathing is difficult, have a trained individual administer

oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately. Get medical attention immediately. Keep the victim warm and quiet. If the victim has stopped breathing open airway, loosen collar and belt, and administer artificial respiration. If breathing

is difficult, oxygen may be beneficial if administered by trained personnel.

preferably on a doctor's advice.

Eye Contact Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt

the head to prevent chemical from transferring to the uncontaminated eye. Get

immediate medical attention. No data available

Skin Contact Wash with soap and water. Get medical attention if irritation develops or persists.

Remove contaminated clothing and continue flushing with water. Seek medical

advice if symptoms persist Wash clothing before reuse.

Ingestion Do not induce vomiting and seek medical attention immediately. Drink two glasses

of water or milk to dilute. Provide medical care provider with this MSDS. Do not

induce vomiting unless directed to do so by medical personnel.

Self protection of

the first aider

No data available

4.2 Most important symptoms and effects, both acute and delayed

Symptom See Section 4.1

4.3 Indication of any immediate medical attention and special treatment needed

Note to Doctor No additional first aid information available

SECTION 5 Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use alcohol resistant foam, carbon dioxide, or dry chemical

extinguishing agents. Water may be ineffective but water spray can be used extinguish a fire if swept across the base of the flames. Water can absorb heat and keep exposed material from

being damaged by fire. Carbon dioxide Dry chemical

Unsuitable extinguishing media No data available

5.2 Special hazards arising from the substance or mixture

Fire and/or Explosion Hazards Vapors may be ignited by sparks, flames or other sources of

ignition if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source

of ignition and flash back.

Hazardous Combustion Products Carbon dioxide, Carbon monoxide, Hydrocarbons

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date08-02-2016

Revision Number 8

5.3 Advice for firefighters

Fire Fighting Methods and Protection Do not enter fire area without pro

Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Flammable component(s) of this material may be lighter than water and burn while floating on the surface.

SECTION 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For Non-emergency Personnel Non-emergency personnel should be kept clear of the area.

contact can be avoided. Follow personal protective equipment

recommendations found in Section VIII of this MSDS

6.2 Environmental precautions No data available

6.3 Methods and material for containment and cleaning up

No special spill clean-up considerations. Collect and discard in regular trash. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area. Use an inert absorbent such as sand or vermiculite. Place in properly

labeled closed container.

6.4 Reference to other sections Refer to section 13 for disposal information.

SECTION 7 Handling and storage

7.1 Precautions for safe handling Mildly irritating material. Avoid unnecessary exposure. Do not

get in eyes, on skin and clothing Wash hands before eating Use with adequate ventilation Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool dry ventilated location. Isolate from incompatible materials and conditions. Keep container(s) closed. Store in a cool dry place Keep away from heat, sparks, and flame Store in

a tightly closed container

7.3 Specific end use(s) Automotive repair

SECTION 8 Exposure controls/personal protection

Occupational Exposure limit values

Chemical Name	ACGIH TLV-TWA	ACGIH STEL	IDLH
Styrene	20 ppm	40 ppm STEL; 170 mg/m3 STEL	No data available
Methyl methacrylate	50 ppm	No data available	No data available

8.2 Exposure controls

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date08-02-2016

Revision Number 8

Appropriate engineering controls No exposure limits exist for the constituents of this product. Use

local exhaust ventilation or other engineering controls to minimize

exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment

Eye and face protection Wear chemically resistant safety glasses with side shields when

handling this product. Do not wear contact lenses. None

Skin Protection

Hand protection No information available

Other skin protection Not normally considered a skin hazard. Where use can result in

skin contact, practice good personal hygiene and wear a barrier cream and/or impervious surgical style gloves. Wash hands and other exposed areas with mild soap and water before eating,

drinking, and when leaving work.

Respiratory Protection Respiratory protection may be required to avoid overexposure

when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate

symptoms.

Thermal hazards No data available

Environmental exposure controls No data available

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

AppearanceLiquidColourYellowOdourAromatic

Odour Threshold No data available

pH Neutral Melting point / Freezing point -30.6

(°C)

Initial boiling point and boiling 100

range (°C)

Flash Point (°C) 33.8

Evaporation Rate No data available Flammability (Solid, gas) No data available

Upper/lower flammability or

explosive limits

Upper Flammable/Explosive 12.5

Limit, % in air

Lower Flammable/Explosive 1.1

Limit, % in air

Vapour Pressure 5.0 mmHg @ 68 °F / 20 °C

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date08-02-2016

Revision Number 8

Vapour Density Heavier than air. Vapors that evolve from this product will tend to

settle and accumulate near the floor.

Relative Density 1.09

Solubility(ies) No data available
Partition coefficient: n- No data available

octanol/water

Autoignition Temperature (°C) 421

Decomposition TemperatureNo data availableViscosityNo data availableExplosive propertiesNo data availableOxidizing propertiesNo data available

9.2 Other information No data available

SECTION 10 Stability and reactivity

10.1 Reactivity No data available

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous

reactions

No data available

10.4 Conditions to avoidNo data available

10.5 Incompatible materials Peroxides; Strong acids; Strong oxidizing agents; Strong alkalies

10.6 Hazardous decomposition

products

Carbon dioxide Carbon monoxide Hydrocarbons

SECTION 11 Toxicological information

11.1 Information on toxicological effects

Acute Toxicity

Chemical Name	CAS Number	Oral LD50	Dermal LD50	Inhalation LC50
No data available				

Classification has been based on toxicological information of the components in Section 3.

Skin corrosion/irritation

рН	Neutral
----	---------

Classification is based on pH and the components listed in Section 3.

Serious eve damage/irritation

pH	Neutral

Classification is based on pH and the components listed in Section 3.

Respiratory or skin sensitization

EUH208 - Contains Methyl methacrylate. May produce an allergic reaction.

Classification has been based on toxicological information of the components in Section 3.

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date08-02-2016 **Revision Number** 8

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Classification has been based on toxicological information of the components in Section 3.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12 Ecological information

12.1 Toxicity No data available

Ecotoxicity Data

Chemical Name	CAS Number	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available				

12.2 Persistence and

degradability

No data available

12.3 Bioaccumulative

potential

No data

12.4 Mobility in soil No data available

12.5 Results of PBT and

vPvB assessment

No data available

12.6 Other adverse

effects

No data available

12.7 Additional

No data available

information

SECTION 13 Disposal considerations

13.1 Waste treatment methods

Waste Description for Spent

Spent or discarded material is a hazardous waste.

Product

Dispose of by incineration following Federal, State, Local, or **Disposal Methods**

Provincial regulations.

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date08-02-2016 **Revision Number** 8

Waste Disposal Code(s) (European Waste Catalogue) W080111

SECTION 14 Transport information

Ground:

14.1 UN number: UN3269

14.2 UN proper shipping name: POLYESTER RESIN KIT

14.3 Transport hazard class(es): 3 Ш 14.4 Packing group:

Exemptions: Limited Quantity

Air:

14.1 UN number: UN3269

14.2 UN proper shipping name: POLYESTER RESIN KIT

14.3 Transport hazard class(es): 14.4 Packing group: Ш

Water:

14.1 UN number: UN3269

14.2 UN proper shipping name: POLYESTER RESIN KIT

14.3 Transport hazard class(es): 3 14.4 Packing group: Ш

Exemptions: Limited Quantity

14.5 Environmental hazards:

14.6 Special precautions for user: No data available 14.7 Transport in bulk according

to Annex II of MARPOL and the

IBC Code:

No data available

SECTION 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Name	<u>EINECS</u>	SVHC
Styrene	Υ	N
Methyl methacrylate	Y	N
Dimethylaniline (DMA)	Y	N
Ethylene glycol	Y	N
Aniline	Y	N
Styrene Oxide	Y	N
Methoxyphenol	Y	N
1,4-Dioxane	Y	N
Ethylene oxide	Y	N
Acetaldehyde	Y	N

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date08-02-2016

Revision Number 8

15.2 Chemical safety assessment No data available

SECTION 16 Other information

SDS Abbreviations: No data available

References: No data available

Hazard phrase(s) referenced in section 3

H220 - Extremely flammable gas.

H224 - Extremely flammable liquid and vapour.

H225 - Highly flammable liquid and vapour.

H226 - Flammable liquid and vapour.

H280 - Contains gas under pressure; may explode if heated.

H301 - Toxic if swallowed.

H302 - Harmful if swallowed.

H311 - Toxic in contact with skin.

H312 - Harmful in contact with skin.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H319 - Causes serious eye irritation.

H331 - Toxic if inhaled.

H332 - Harmful if inhaled.

H336 - May cause drowsiness or dizziness.

H340 - May cause genetic defects..

H341 - Suspected of causing genetic defects.

H350 - May cause cancer.

H351 - Suspected of causing cancer.

H372 - Causes damage to organs through prolonged or repeated exposure.

H400 - Very toxic to aquatic life.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and

understood.

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No

smoking.

P233 - Keep container tightly closed.

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date08-02-2016

Revision Number 8

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash thoroughly after handling.

P270 - Do no eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face

protection.

Response P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P307+P311 - IF exposed: Call a POISON CENTER or doctor/physician.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P314 - Get medical advice/attention if you feel unwell.

P321 - Specific treatment (see on this label).

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P370+P378 - In case of fire: Use for extinction.

Storage P233 - Keep container tightly closed.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

Disposal P501 - Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances